

FIG. 1A




FIG. 1B




FIG. 2A




FIG. 2B




FIG. 3A




FIG. 3B




FIG. 4A




FIG. 4B




FIG. 4C




FIG. 4D




FIG. 4E




FIG. 4F




FIG. 4G




FIG. 4H




FIG. 4I




FIG. 4J




FIG. 5A




FIG. 5B




FIG. 5C




FIG. 5D



FIG. 5E




FIG. 5F




FIG. 5G




FIG. 5H




FIG. 5I




FIG. 5J




FIG. 6A




FIG. 6B




FIG. 6C




FIG. 6D




FIG. 7

- ◆— N-methyl-2-pyrrolidone
- Gamma-butyrolactone
- EQUAL CONCENTRATIONS OF N-methyl-2-pyrrolidone AND Gamma-butyrolactone ACTUAL RESULTS
- ◇— EQUAL CONCENTRATIONS OF N-methyl-2-pyrrolidone AND Gamma-butyrolactone EXPECTED RESULTS






FIG. 8

CONCENTRATION OF SOLVENT COMPONENT / % OF VOL.

- ◆— N-methyl-2-pyrrolidone
- Epsilon-Caprolactone
- △— EQUAL CONCENTRATIONS OF N-methyl-2-pyrrolidone AND Epsilon-Caprolactone EXPECTED RESULTS
- ◇— EQUAL CONCENTRATIONS OF N-methyl-2-pyrrolidone AND Epsilon-Caprolactone ACTUAL RESULTS